



Nominal impedance [ohm]	8
Voice coil resistance [ohm]	5.9
Nominal power [W]	35/70
Short term max power [W]	150/250
Long term max power [W]	90/120
Operating power [W]	12.6
Sensitivity [dB]	85
Frequency range [kHz]	0.2-6
Free air resonance [Hz]	73
Voice coil diameter [mm]	25
Voice coil height [mm]	7.5
Air gap height [mm]	4
Voice coil inductance [mH]	0.43
Eff. diaphragm Area [cm <sup>2</sup> ]	58
Moving mass [g]	5.3
Magnet weight [g]/[oz]	240/8.5
Force factor [Bl]	4.6
VAS [l]	4.25
Qms	2.10
Qes	0.68
Qts	0.51




OD: 125 mm	CD: 101 mm
FT: -	ID: -
MD: -	HD: 5 mm



Frequency response: 2.83V / 1m

Nominal impedance [ohm]	8
Voice coil resistance [ohm]	5.9
Nominal power [W]	35/70
Short term max power [W]	150/250
Long term max power [W]	90/120
Operating power [W]	8
Sensitivity [dB]	87
Frequency range [kHz]	0.2-6
Free air resonance [Hz]	73
Voice coil diameter [mm]	25
Voice coil height [mm]	7.5
Air gap height [mm]	4
Voice coil inductance [mH]	0.38
Eff. diaphragm Area [cm <sup>2</sup> ]	58
Moving mass [g]	5.3
Magnet weight [g]/[oz]	415/14.6
Force factor [Bl]	5.9
VAS [l]	4.25
Qms	1.65
Qes	0.41
Qts	0.33



Frequency response: 2.83V / 1m